

Product no **AS16 3339****Goat anti-Human IgG Fc, ALP conjugated, min, cross-reactivity to human IgA + IgM, bovine, horse, mouse or rabbit serum proteins****Product information**

Immunogen	Purified Human IgG, Fc fragment
Host	Goat
Clonality	Polyclonal
Purity	Immunogen affinity purified goat IgG.
Format	Liquid
Quantity	1,0 mg
Storage	Store non-diluted antibody at 2-8°C. For storage at -20 °C, dilute with an equal volume of glycerol to prevent loss of enzymatic activity. Prepare working dilutions prior to use and then discard.

Additional information	<p>Antibody purity is > 95% based on SDS-PAGE. Affinity purified using solid phase Human IgG . Antibody is supplied in 30 mM Triethanolamine, pH 7.2, 5 mM Magnesium Chloride, 0.1 mM Zinc Chloride, 1 % (w/v) BSA, Protease/IgG free. 0.05% (w/v) Sodium Azide is added as a preservative.</p> <p>Based on IEP, this antibody reacts with: • heavy () chains on human IgG . Based on IEP, no reactivity is observed to: • non-immunoglobulin human serum immunoglobulins • light chains on all human immunoglobulins • human IgA or IgM • serum proteins from bovine, mouse, or rabbit .</p>
-------------------------------	--

Application information

Recommended dilution	1 : 20-1 : 2000 (Flow cyt), (IL)
Confirmed reactivity	Human IgG Fc